

View Online at <https://aerobasegroup.com/nsn/5330-00-515-3965>

**Cross Sectional Shape:**

Solid single or composition

**Hole Diameter:**

Between 0.210 inches and 0.250 inches

**Overall Length:**

Between 7.920 inches and 7.960 inches

**Overall Width:**

Between 3.360 inches and 3.400 inches

**Inside Corner Radius:**

Between 0.220 inches and 0.280 inches

**Outside Corner Radius:**

Between 0.220 inches and 0.280 inches

**Aperture Width:**

Between 1.970 inches and 2.030 inches

**Aperture Length:**

Between 6.530 inches and 6.590 inches

**Center To Center Distance Between Bolt Holes Along Width:**

1.500 inches

**Center To Center Distance Between Bolt Holes Along Length:**

1.500 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

Between 0.930 inches and 0.950 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

Between 0.836 inches and 0.886 inches

**Cross-sectional Thickness:**

Between 0.120 inches and 0.140 inches

**Bolt Hole Quantity:**

12

**Hardness Rating:**

65.0 shore durometer a and 75.0 shore durometer a

**Material:**

Rubber synthetic

**Style Designator:**

Non-circular

**Test Data Document:**

91499-jcn20a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Fsc Application Data:**

Turbine, refrigeration unit, acft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A032a0