NSN 5330-00-564-9206

Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-00-564-9206

| Cross Sectional Shape: |
|--|
| Solid single or composition |
| Hole Diameter: |
| 0.104 inches |
| Overall Length: |
| 4.562 inches |
| Overall Width: |
| 2.875 inches |
| Inside Corner Radius: |
| 0.688 inches |
| Outside Corner Radius: |
| 0.969 inches |
| Aperture Width: |
| 2.281 inches |
| Aperture Length: |
| 3.938 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 1.000 inches |
| Cross-sectional Thickness: |
| 0.031 inches |
| Hardness Rating: |
| 55.0 shore durometer a and 70.0 shore durometer a |
| Material: |
| Rubber synthetic and cork |
| Material Specification: |
| Mil-c-6183, type 2, cl 2, gr b military specification all material responses |
| Fsc Application Data: |
| Accelerometer, electrical, linear, aircraft coordination control |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A032a0 |
| Mil-std (military Standard): |
| Mil-c-6183 spec. |