## NSN 5330-00-585-0385

Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-00-585-0385

Cross Sectional Shape:
Solid single or composition
Hole Diameter:
Between 0.367 inches and 0.374 inches
Overall Length:
12.625 inches
Overall Width:
8.750 inches
Inside Corner Radius:
0.500 inches
Outside Corner Radius:
1.500 inches
Aperture Width:
6.750 inches
Aperture Length:
10.625 inches
Center To Center Distance Between Bolt Holes Along Length:
4.565 inches
Outside Edge To Polt Hele Center Distance Along Width
Outside Edge To Bolt Hole Center Distance Along Width:
4.375 inches
-
4.375 inches
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness:
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length: 1.748 inches  Cross-sectional Thickness:  Between 0.008 inches and 0.010 inches
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness:  Between 0.008 inches and 0.010 inches  Material:
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness:  Between 0.008 inches and 0.010 inches  Material:  Asbestos
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length: 1.748 inches  Cross-sectional Thickness: Between 0.008 inches and 0.010 inches  Material: Asbestos  Material Specification:
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness:  Between 0.008 inches and 0.010 inches  Material:  Asbestos  Material Specification:  Ws 5156, fscm 23021 mfr ref single material response
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness:  Between 0.008 inches and 0.010 inches  Material:  Asbestos  Material Specification:  Ws 5156, fscm 23021 mfr ref single material response  Shelf Life:
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness:  Between 0.008 inches and 0.010 inches  Material:  Asbestos  Material Specification:  Ws 5156, fscm 23021 mfr ref single material response  Shelf Life:  N/a
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness:  Between 0.008 inches and 0.010 inches  Material:  Asbestos  Material Specification:  Ws 5156, fscm 23021 mfr ref single material response  Shelf Life:  N/a
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness: Between 0.008 inches and 0.010 inches  Material: Asbestos  Material Specification: Ws 5156, fscm 23021 mfr ref single material response  Shelf Life: N/a  Unit Of Measure:
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness:  Between 0.008 inches and 0.010 inches  Material:  Asbestos  Material Specification:  Ws 5156, fscm 23021 mfr ref single material response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:
4.375 inches  Outside Edge To Bolt Hole Center Distance Along Length:  1.748 inches  Cross-sectional Thickness:  Between 0.008 inches and 0.010 inches  Material:  Asbestos  Material Specification:  Ws 5156, fscm 23021 mfr ref single material response  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No