## NSN 5330-00-704-3686

Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5330-00-704-3686

| Cross Sectional Shape:   |
|--|
| Solid single or composition  |
| Hole Diameter:   |
| 0.156 inches   |
| Overall Length:  |
| Between 5.190 inches and 5.210 inches  |
| Overall Width:   |
| Between 2.990 inches and 3.010 inches  |
| Outside Corner Radius:   |
| 0.120 inches   |
| Aperture Width:  |
| 2.625 inches   |
| Aperture Length:   |
| 4.806 inches   |
| Inside Corner Inverted Radius:   |
| 0.180 inches   |
| Center To Center Distance Between Bolt Holes Along Width:  |
| 2.625 inches   |
| Center To Center Distance Between Bolt Holes Along Length:   |
| 2.371 inches   |
| Outside Edge To Bolt Hole Center Distance Along Width:   |
| 0.187 inches   |
| Outside Edge To Bolt Hole Center Distance Along Length:  |
| 0.198 inches   |
| Cross-sectional Thickness:   |
| 0.031 inches   |
| Bolt Hole Quantity:  |
| 6  |
| Hardness Rating:   |
| 60.0 shore durometer a   |
| Special Features:  |
| Two 0.180 in. Outside radius, 0.120 in. Inverted radius ears located on inside edge to accommodate mtg holes |
| Material:  |
| Rubber butadiene-acrylonitrile class nbr   |
| Material Specification:  |
| Mil-r-6855, cl 1 military specification single material response   |
| Style Designator:  |
| Non-circular Non-circular  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |

--

## NSN 5330-00-704-3686

Gasket - Page 2 of 2



| Demi |  |  |  |
|------|--|--|--|
|      |  |  |  |
|      |  |  |  |

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6855 spec.