

View Online at <https://aerobasegroup.com/nsn/5330-00-720-4823>

**Cross Sectional Shape:**

Outside grooved, straight face

**Inside Diameter:**

5.250 inches

**Outside Diameter:**

5.657 inches

**Material Thickness:**

0.156 inches

**Ring Style:**

Concentric

**Outer Edge Thickness:**

0.125 inches

**Joint Style:**

Diagonal joint

**Material:**

Copper alloy

**Material Specification:**

Qq-b-626, or qq-b-726 class a, or qq-b-728 class a 1/2 hard or class b, or qq-b-750 comp a hard, or qq-c-450, or qq-c-465, or qq-c-530 cond a grade h, or qq-c-591 1/2 h or hard federal specification single material response

**Surface Treatment:**

Cadmium outside periphery

**Surface Treatment Specification:**

Qq-p-416, type 2, class 2 federal specification single treatment response top

**Test Data Document:**

81349-mil-s-5049 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Or Standard:**

M type and 2 class

**Fsc Application Data:**

Aircraft hydraulic system

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A08400

**Mil-std (military Standard):**

Mil-s-5049 spec.