

View Online at <https://aerobasegroup.com/nsn/5330-00-720-4823>

Cross Sectional Shape:

Outside grooved, straight face

Inside Diameter:

5.250 inches

Outside Diameter:

5.657 inches

Material Thickness:

0.156 inches

Ring Style:

Concentric

Outer Edge Thickness:

0.125 inches

Joint Style:

Diagonal joint

Material:

Copper alloy

Material Specification:

Qq-b-626, or qq-b-726 class a, or qq-b-728 class a 1/2 hard or class b, or qq-b-750 comp a hard, or qq-c-450, or qq-c-465, or qq-c-530 cond a grade h, or qq-c-591 1/2 h or hard federal specification single material response

Surface Treatment:

Cadmium outside periphery

Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response top

Test Data Document:

81349-mil-s-5049 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Or Standard:

M type and 2 class

Fsc Application Data:

Aircraft hydraulic system

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A08400

Mil-std (military Standard):

Mil-s-5049 spec.