

View Online at <https://aerobasegroup.com/nsn/5330-00-787-9793>

**Cross Sectional Shape:**

Solid single or composition

**Hole Diameter:**

Between 0.300 inches and 0.320 inches

**Overall Length:**

Between 2.940 inches and 3.020 inches

**Overall Width:**

Between 2.640 inches and 2.720 inches

**Inside Corner Radius:**

Between 0.340 inches and 0.360 inches

**Outside Corner Radius:**

Between 0.260 inches and 0.300 inches

**Aperture Width:**

Between 0.680 inches and 0.720 inches

**Aperture Length:**

Between 2.340 inches and 2.380 inches

**Center To Center Distance Between Bolt Holes Along Width:**

2.120 inches

**Center To Center Distance Between Bolt Holes Along Length:**

2.420 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

Between 0.260 inches and 0.300 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

Between 0.260 inches and 0.300 inches

**Cross-sectional Thickness:**

Between 0.040 inches and 0.060 inches

**Bolt Hole Quantity:**

4

**Material:**

Asbestos

**Material Specification:**

Manhattan a-56fscm 07482 mfr ref single material response

**Style Designator:**

Non-circular

**Fsc Application Data:**

Front frame anti-icing, engine, acft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A032a0