

View Online at <https://aerobasegroup.com/nsn/5330-00-788-6303>

**Cross Sectional Shape:**

Metal and synthetic rubber

**Overall Length:**

3.562 inches

**Overall Width:**

3.562 inches

**Aperture Diameter:**

Between 2.770 inches and 2.830 inches

**Outside Corner Radius:**

Between 0.390 inches and 0.450 inches

**Center To Center Distance Between Bolt Holes Along Width:**

2.722 inches

**Center To Center Distance Between Bolt Holes Along Length:**

2.722 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

0.420 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

0.420 inches

**Cross-sectional Thickness:**

0.197 inches

**Gage Ring Thickness:**

0.158 inches

**Special Features:**

Part must be stamped with -this side up- and -fwd-, locating hole is on right side, gasket is opposite partnumber 036857-2, 533000788604

**Material:**

Aluminum alloy 6061 and rubber butadiene-acrylonitrile class nbr

**Material Specification:**

Qq-a-250/11 federal specification 1st material response and mil-s-6855, class grade 60 military specification 2nd material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

**Fsc Application Data:**

Wing fuel tank installation aircraft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A032a0

**Mil-std (military Standard):**

Mil-s-6855 spec.