## NSN 5330-00-798-8139

Gasket - Page 1 of 2





Cross Sectional Shape: Solid single or composition Hole Diameter: 0.281 inches Overall Length: Between 2.280 inches and 2.320 inches Overall Width: Between 1.880 inches and 1.920 inches Inside Corner Radius: Between 0.250 inches and 0.280 inches

#### Outside Corner Radius:

Between 0.250 inches and 0.280 inches

#### Aperture Width:

Between 0.775 inches and 0.835 inches

#### Aperture Length:

Between 1.375 inches and 1.435 inches

#### Center To Center Distance Between Bolt Holes Along Width:

1.360 inches

#### Center To Center Distance Between Bolt Holes Along Length:

1.750 inches

#### Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.250 inches and 0.280 inches

### Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.250 inches and 0.280 inches

## Cross-sectional Thickness:

0.063 inches

#### **Bolt Hole Quantity:**

4

## Material:

Asbestos

#### Material Specification:

A56fmsc 81977 mfr ref single material response

#### Style Designator:

Non-circular

#### Fsc Application Data:

Rear compressor frame bearing area pressure tube, engine, acft

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

# NSN 5330-00-798-8139

Gasket - Page 2 of 2

**Fiig:** A032a0

