

View Online at <https://aerobasegroup.com/nsn/5330-00-839-1273>

**Cross Sectional Shape:**

Solid single or composition

**Hole Diameter:**

Between 0.152 inches and 0.159 inches

**Overall Length:**

Between 2.350 inches and 2.370 inches

**Overall Width:**

Between 1.990 inches and 2.010 inches

**Inside Corner Radius:**

Between 0.110 inches and 0.130 inches

**Outside Corner Radius:**

Between 0.110 inches and 0.130 inches

**Aperture Width:**

Between 1.490 inches and 1.510 inches

**Aperture Length:**

Between 1.490 inches and 1.510 inches

**Center To Center Distance Between Bolt Holes Along Width:**

1.624 inches

**Center To Center Distance Between Bolt Holes Along Length:**

2.000 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

Between 0.170 inches and 0.210 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

Between 0.160 inches and 0.200 inches

**Cross-sectional Thickness:**

Between 0.027 inches and 0.037 inches

**Bolt Hole Quantity:**

4

**Hardness Rating:**

45.0 shore durometer a and 53.0 shore durometer a

**Maximum Pressure Rating:**

95.0 pounds per square inch

**Material:**

Rubber butadiene-styrene class sbr and rubber chloroprene class cr

**Material Specification:**

Mil-g-900 type 1 cl1 military specification 1st material response and mil-g-1149 type 1 cl 2 military specification 2nd material response

**Style Designator:**

Non-circular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A032a0

**Mil-std (military Standard):**

Mil-g-900 spec.