

View Online at <https://aerobasegroup.com/nsn/5330-00-866-0891>

Cross Sectional Shape:

Solid single or composition

Hole Diameter:

Between 0.151 inches and 0.156 inches

Overall Length:

Between 4.130 inches and 4.160 inches

Overall Width:

Between 4.130 inches and 4.160 inches

Inside Corner Radius:

Between 2.475 inches and 2.490 inches

Outside Corner Radius:

Between 0.170 inches and 0.200 inches

Aperture Width:

Between 3.930 inches and 3.960 inches

Aperture Length:

Between 3.930 inches and 3.960 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 3.798 inches and 3.813 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 3.798 inches and 3.813 inches

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.170 inches and 0.200 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.170 inches and 0.200 inches

Cross-sectional Thickness:

Between 0.028 inches and 0.035 inches

Bolt Hole Quantity:

4

Material:

Asbestos and rubber natural or rubber synthetic

Material Specification:

Mil-a-7021, cl 1 military specification all material responses

Style Designator:

Non-circular

Fsc Application Data:

Case, computer, air time speed, aircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A032a0

Mil-std (military Standard):

Mil-a-7021 spec.