NSN 5330-00-944-5941

Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-00-944-5941

| Cross Sectional Shape: |
|---|
| Metal and synthetic rubber |
| Hole Diameter: |
| Between 0.261 inches and 0.276 inches |
| Bolt Circle Diameter: |
| Between 2.558 inches and 2.568 inches |
| Overall Width: |
| 3.125 inches |
| Aperture Diameter: |
| Between 1.367 inches and 1.377 inches |
| Outside Corner Radius: |
| Between 0.266 inches and 0.297 inches |
| Outside Corner Inverted Radius: |
| Between 0.266 inches and 0.297 inches |
| Side Radius From Gasket Center: |
| Between 1.057 inches and 1.067 inches |
| Cross-sectional Thickness: |
| 0.132 inches |
| Gage Ring Thickness: |
| Between 0.084 inches and 0.100 inches |
| Bolt Hole Quantity: |
| 4 |
| Elongation Percentage: |
| 125 |
| Material: |
| Steel comp 302 and rubber fluorocarbon class fpm |
| Material Specification: |
| Mil-s-5059 military specification 1st material response and mil-r-83248 type 2, cl 1 military specification 2nd material response |
| Style Designator: |
| Non-circular |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A032a0 |
| Mil-std (military Standard): |
| Mil-s-5059 spec. |