NSN 5330-00-961-6694

Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5330-00-961-6694

| Cross Sectional Shape: |
|--|
| Solid single or composition |
| Hole Diameter: |
| 0.196 inches |
| Overall Length: |
| 10.750 inches |
| Tempurature Rating: |
| -62.0 degrees celsius and 75.0 degrees celsius |
| Overall Width: |
| 6.000 inches |
| Inside Corner Radius: |
| 0.125 inches |
| Outside Corner Radius: |
| 0.125 inches |
| Aperture Width: |
| 4.938 inches |
| Aperture Length: |
| 9.500 inches |
| Center To Center Distance Between Bolt Holes Along Width: |
| 2.812 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 2.594 inches |
| Outside Edge To Bolt Hole Center Distance Along Width: |
| 0.187 inches |
| Outside Edge To Bolt Hole Center Distance Along Length: |
| 0.187 inches |
| Cross-sectional Thickness: |
| 0.031 inches |
| Bolt Hole Quantity: |
| 12 |
| Material: |
| Rubber butadiene-styrene class sbr |
| Material Specification: |
| Mil-r-900 military specification single material response |
| Style Designator: |
| Non-circular |
| Fsc Application Data: |
| Electronic measuring and testing equipment |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 5330-00-961-6694

Gasket - Page 2 of 2



| _ | | •• | • • | | | | |
|----|----|----|-----|-----|-----|---|----|
| וו | em | ш | 112 | rız | 211 | n | ٠. |
| | | | | | | | |

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-900 spec.