

View Online at <https://aerobasegroup.com/nsn/5330-00-967-9304>

Cross Sectional Shape:

Metal and synthetic rubber

Hole Diameter:

Between 0.296 inches and 0.328 inches

Overall Length:

Between 10.990 inches and 11.010 inches

Overall Width:

Between 7.990 inches and 8.010 inches

Inside Corner Radius:

Between 0.234 inches and 0.266 inches

Outside Corner Radius:

Between 0.984 inches and 1.016 inches

Aperture Width:

6.000 inches

Aperture Length:

9.000 inches

Center To Center Distance Between Bolt Holes Along Width:

2.376 inches

Center To Center Distance Between Bolt Holes Along Length:

2.812 inches

Outside Edge To Bolt Hole Center Distance Along Width:

2.812 inches

Outside Edge To Bolt Hole Center Distance Along Length:

1.281 inches

Cross-sectional Thickness:

Between 0.110 inches and 0.150 inches

Gage Ring Thickness:

Between 0.080 inches and 0.100 inches

Bolt Hole Quantity:

12

Material:

Aluminum alloy 6061 and rubber butadiene-acrylonitrile class nbr

Material Specification:

Qq-a-250/11 federal specification 1st material response and mil-s-6855, cl 1, gr 60 military specification 2nd material response

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A032a0

Mil-std (military Standard):

Mil-s-6855 spec.