## NSN 5330-01-015-9557

Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-01-015-9557

Cross Sectional Shape: Hollow Outside Diameter: Between 1.375 inches and 1.377 inches Aperture Diameter: Between 1.246 inches and 1.248 inches Cross-sectional Thickness: 0.110 inches Special Features: One side of gasket is open Material: Nickel alloy x-750 Material Specification: Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response Surface Treatment:	
Outside Diameter:  Between 1.375 inches and 1.377 inches  Aperture Diameter:  Between 1.246 inches and 1.248 inches  Cross-sectional Thickness:  0.110 inches  Special Features:  One side of gasket is open  Material:  Nickel alloy x-750  Material Specification:  Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
Between 1.375 inches and 1.377 inches  Aperture Diameter:  Between 1.246 inches and 1.248 inches  Cross-sectional Thickness: 0.110 inches  Special Features: One side of gasket is open  Material:  Nickel alloy x-750  Material Specification:  Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
Aperture Diameter:  Between 1.246 inches and 1.248 inches  Cross-sectional Thickness: 0.110 inches  Special Features: One side of gasket is open  Material: Nickel alloy x-750  Material Specification: Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
Between 1.246 inches and 1.248 inches  Cross-sectional Thickness: 0.110 inches  Special Features: One side of gasket is open  Material: Nickel alloy x-750  Material Specification: Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
Cross-sectional Thickness:  0.110 inches  Special Features: One side of gasket is open  Material: Nickel alloy x-750  Material Specification: Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
0.110 inches  Special Features: One side of gasket is open  Material: Nickel alloy x-750  Material Specification: Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
Special Features: One side of gasket is open  Material: Nickel alloy x-750  Material Specification: Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
One side of gasket is open  Material:  Nickel alloy x-750  Material Specification:  Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
Material: Nickel alloy x-750  Material Specification: Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
Nickel alloy x-750  Material Specification:  Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
Material Specification:  Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
Ams 5542 assn standard 1st material response or ams 5582 assn standard 2nd material response or ams 5598 response  Surface Treatment:	
response Surface Treatment:	
Surface Treatment:	assn standard 3rd materia
Silver	
Style Designator:	
Circular	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A032a0	