NSN 5330-01-048-4999

Fiig: A032a0



Preformed Packing - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5330-01-048-4999 **Cross Sectional Shape:** O-ring **Tempurature Rating:** -5.0 degrees celsius and 205.0 degrees celsius **Cross Section Outside Diameter:** Between 0.100 inches and 0.106 inches **Cross-sectional Height:** Between 0.100 inches and 0.106 inches **Center Hole Diameter:** Between 2.467 inches and 2.507 inches **Peripheral Diameter:** Between 2.667 inches and 2.719 inches **End Application:** 2840-99-645-9394 Hardness Rating: 70.0 shore durometer a and 80.0 shore durometer a **Operating Medium:** Fluid, high temperature Color: Brown Material: Rubber polymethylene-perfluoroalkylene class fkm **Material Specification:** Ams7280 assn standard single material response or astm d2000/sae j200 2hk715a1-10b37b38ef31eo78f18z1 assn standard single material response Type/model Designation: Rb199mk101/103/104 **Reference Number Differentiating Characteristics:** As diff by specification k2617 hte7300 performance rqmt tornado aircraft engine model rb199 Shelf Life: N/a **Unit Of Measure: Demilitarization:** No