NSN 5330-01-088-2846

Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5330-01-088-2846

Cross Sectional Shape:					
Solid single or composition					
Hole Diameter:					
Between 0.203 inches and 0.223 inches					
Overall Length:					
5.000 inches					
Overall Width:					
5.000 inches					
Inside Corner Radius:					
Between 0.030 inches and 0.090 inches					
Aperture Width:					
4.000 inches					
Aperture Length:					
4.000 inches					
Outside Corner Bevel Length Along Width:					
0.125 inches					
Outside Corner Bevel Length Along Length:					
0.125 inches					
Center To Center Distance Between Bolt Holes Along Width:					
1.375 inches					
Center To Center Distance Between Bolt Holes Along Length:					
1.375 inches					
Outside Edge To Bolt Hole Center Distance Along Width:					
0.875 inches					
Outside Edge To Bolt Hole Center Distance Along Length:					
0.250 inches					
Cross-sectional Thickness:					
Between 0.052 inches and 0.072 inches					
Bolt Hole Quantity:					
12					
Elongation Percentage:					
250					
Hardness Rating:					
65.0 shore durometer a and 75.0 shore durometer a					
Material:					
Rubber butadiene-acrylonitrile class nbr					
Material Specification:					
Mil-r-7362, type 2 military specification single material response					
Style Designator:					
Non-circular					
Shelf Life:					

N/a

NSN 5330-01-088-2846

Gasket - Page 2 of 2



	• -			
In	ıŧ	()t	Measure	•

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-7362 spec.