

View Online at <https://aerobasegroup.com/nsn/5330-01-132-1096>

Cross Sectional Shape:

Solid single or composition

Hole Diameter:

0.281 inches

Overall Length:

3.500 inches

Overall Width:

3.250 inches

Aperture Width:

2.625 inches

Aperture Length:

2.875 inches

Inside Corner Bevel Length Along Width:

0.500 inches

Inside Corner Bevel Length Along Length:

0.500 inches

Center To Center Distance Between Bolt Holes Along Width:

2.625 inches

Center To Center Distance Between Bolt Holes Along Length:

2.875 inches

Outside Edge To Bolt Hole Center Distance Along Width:

0.312 inches

Outside Edge To Bolt Hole Center Distance Along Length:

0.312 inches

Cross-sectional Thickness:

0.062 inches

Bolt Hole Quantity:

4

Hardness Rating:

45.0 shore durometer a and 55.0 shore durometer a

Criticality Code Justification:

Zzzy

Special Features:

Item must comply with requirements of defense supply center philadelphia production standard no. P00422nrp

Material:

Rubber chloroprene class cr

Material Specification:

Mil-g-1149, type 1 military specification single material response

Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Reference Number Differentiating Characteristics:

Areference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-g-1149 spec.