

View Online at <https://aerobasegroup.com/nsn/5330-01-204-6894>

Cross Sectional Shape:

Solid single or composition

Hole Diameter:

0.250 inches

Overall Length:

11.980 inches

Overall Width:

10.160 inches

Inside Corner Radius:

Between 0.500 inches and 0.620 inches

Outside Corner Radius:

Between 0.500 inches and 0.620 inches

Aperture Width:

Between 7.920 inches and 8.040 inches

Aperture Length:

Between 8.100 inches and 8.220 inches

Center To Center Distance Between Bolt Holes Along Width:

9.410 inches

Center To Center Distance Between Bolt Holes Along Length:

2.660 inches

Outside Edge To Bolt Hole Center Distance Along Width:

2.000 inches

Outside Edge To Bolt Hole Center Distance Along Length:

0.380 inches

Cross-sectional Thickness:

0.125 inches

Bolt Hole Quantity:

8

Outside Edge To Inside Edge Smallest Distance Along Width:

2.000 inches

Outside Edge To Inside Edge Smallest Distance Along Length:

1.000 inches

Special Features:

Slot along width 0.500 in. Wide and 0.920 in. Deep and located 1.130 in. From one side

Material:

Rubber chloroprene class cr

Material Specification:

Mil-r-6130, type 2, gr a, soft military specification single material response

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6130 spec.