NSN 5330-01-206-7357

Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-01-206-7357

Cross Sec	ctional Shape:
Solid single	e or composition
Hole Diam	neter:
Between 0	.193 inches and 0.213 inches
Overall Le	ength:
Between 1	.500 inches and 1.516 inches
Overall W	idth:
Between 1	.500 inches and 1.516 inches
Aperture [Diameter:
Between 1	.250 inches and 1.266 inches
Outside C	orner Radius:
Between 0	0.0885 inches and 0.1125 inches
Center To	Center Distance Between Bolt Holes Along Width:
Between 1	.146 inches and 1.166 inches
Center To	Center Distance Between Bolt Holes Along Length:
Between 1	.146 inches and 1.166 inches
Outside E	dge To Bolt Hole Center Distance Along Width:
Between 0	.167 inches and 0.185 inches
Outside E	dge To Bolt Hole Center Distance Along Length:
Between 0	.167 inches and 0.185 inches
Cross-sec	tional Thickness:
Between 0	0.021 inches and 0.041 inches
Bolt Hole	Quantity:
4	
Hardness	Rating:
55.0 shore	durometer a and 65.0 shore durometer a
Material:	
Rubber bu	tadiene-acrylonitrile class nbr or rubber polyester urethane class au or rubber polyether urethane class e
Material S	pecification:
Astm d200	0 5bg612abef2 assn standard single material response
Style Desi	ignator:
Non-circula	ar
Shelf Life:	
N/a	
Unit Of Me	easure:
Demilitaria	zation:
No	
Fiig:	
A032a0	