NSN 5330-01-209-8046

Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5330-01-209-8046

| Cross Sectional Shape: |
|--|
| Solid single or composition |
| Hole Diameter: |
| 0.313 inches |
| Overall Length: |
| 20.000 inches |
| Tempurature Rating: |
| -20.0 degrees fahrenheit and 130.0 degrees fahrenheit |
| Overall Width: |
| 13.000 inches |
| Inside Corner Radius: |
| 0.500 inches |
| Aperture Width: |
| 10.000 inches |
| Aperture Length: |
| 17.000 inches |
| Center To Center Distance Between Bolt Holes Along Width: |
| 5.750 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 4.630 inches |
| Outside Edge To Bolt Hole Center Distance Along Width: |
| 0.750 inches |
| Outside Edge To Bolt Hole Center Distance Along Length: |
| 0.750 inches |
| Cross-sectional Thickness: |
| 0.125 inches |
| Bolt Hole Quantity: |
| 12 |
| Hardness Rating: |
| 40.0 shore durometer a and 50.0 shore durometer a |
| Material: |
| Rubber butadiene-styrene class sbr |
| Material Specification: |
| Mil-r-900 military specification single material response |
| Style Designator: |
| Non-circular |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

NSN 5330-01-209-8046

Gasket - Page 2 of 2



Fiig:

A032a0

Mil-std (military Standard):

Mil-r-900 spec.