## NSN 5330-01-210-2697

Preformed Packing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-01-210-2697

Cross Sectional Shape:
O-ring
Tempurature Rating:
-65.0 degrees fahrenheit and 275.0 degrees fahrenheit
Cross Section Outside Diameter:
Between 0.205 inches and 0.215 inches
Cross-sectional Height:
Between 0.205 inches and 0.215 inches
Center Hole Diameter:
Between 0.407 inches and 0.417 inches
Peripheral Diameter:
Between 0.817 inches and 0.847 inches
Hardness Rating:
70.0 shore durometer a and 80.0 shore durometer a
Operating Medium:
Hydraulic fluid, petroleum base
Functional Description:
Dynamic or static use
Color:
Black
Material:
Rubber butadiene-acrylonitrile class nbr
Material Specification:
Mil-p-25732 military specification single material response
Reference Data And Literature:
Astm d2000 2bg720b14b34eo14eo34f17ea4
Specification Data:
96906-ms28775/inactive/ government standard and 81343-as568 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A032a0
Mil-std (military Standard):
Mil-p-25732 spec.