

View Online at <https://aerobasegroup.com/nsn/5330-01-213-8884>

**Cross Sectional Shape:**

Metal and synthetic rubber

**Hole Diameter:**

Between 0.278 inches and 0.287 inches

**Aperture Diameter:**

Between 0.660 inches and 0.680 inches

**Outside Corner Radius:**

Between 0.300 inches and 0.320 inches

**Side Radius From Gasket Center:**

Between 0.680 inches and 0.700 inches

**Cross-sectional Thickness:**

Between 0.106 inches and 0.140 inches

**Gage Ring Thickness:**

Between 0.070 inches and 0.090 inches

**Bolt Hole Quantity:**

3

**Elongation Percentage:**

120

**Hardness Rating:**

75.0 shore durometer a

**Special Features:**

Aluminum surfaces anodized per mil-a-8625, type 2

**Material:**

Aluminum alloy 6061 and rubber fluorocarbon class fpm

**Material Specification:**

Ams 4027 assn standard 1st material response and mil-r-83485 military specification 2nd material response or a50tf193 cl a, fscm 07482 mfr ref 2nd material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A032a0

**Mil-std (military Standard):**

Mil-r-83485 spec.