

View Online at <https://aerobasegroup.com/nsn/5330-01-272-8979>

**Cross Sectional Shape:**

Solid single or composition

**Hole Diameter:**

Between 0.260 inches and 0.300 inches

**Overall Length:**

7.380 inches

**Overall Width:**

4.880 inches

**Aperture Width:**

4.120 inches

**Aperture Length:**

6.620 inches

**Center To Center Distance Between Bolt Holes Along Width:**

3.940 inches

**Center To Center Distance Between Bolt Holes Along Length:**

6.940 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

0.220 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

0.470 inches

**Cross-sectional Thickness:**

0.031 inches

**Bolt Hole Quantity:**

4

**Hardness Rating:**

60.0 shore durometer a

**Criticality Code Justification:**

Zzzy

**Special Features:**

Item must comply with requirements of defense supply center philadelphia production standard no. Po0181nrp

**Material:**

Rubber chloroprene class cr

**Material Specification:**

Mil-r-6855 cl 2 military specification single material response

**Special Test Features:**

Special quality control testing

**Style Designator:**

Non-circular

**Test Data Document:**

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Reference Number Differentiating Characteristics:**

Areference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A032a0

**Mil-std (military Standard):**

Mil-r-6855 spec.