

View Online at <https://aerobasegroup.com/nsn/5330-01-272-8979>

Cross Sectional Shape:

Solid single or composition

Hole Diameter:

Between 0.260 inches and 0.300 inches

Overall Length:

7.380 inches

Overall Width:

4.880 inches

Aperture Width:

4.120 inches

Aperture Length:

6.620 inches

Center To Center Distance Between Bolt Holes Along Width:

3.940 inches

Center To Center Distance Between Bolt Holes Along Length:

6.940 inches

Outside Edge To Bolt Hole Center Distance Along Width:

0.220 inches

Outside Edge To Bolt Hole Center Distance Along Length:

0.470 inches

Cross-sectional Thickness:

0.031 inches

Bolt Hole Quantity:

4

Hardness Rating:

60.0 shore durometer a

Criticality Code Justification:

Zzzy

Special Features:

Item must comply with requirements of defense supply center philadelphia production standard no. Po0181nrp

Material:

Rubber chloroprene class cr

Material Specification:

Mil-r-6855 cl 2 military specification single material response

Special Test Features:

Special quality control testing

Style Designator:

Non-circular

Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Reference Number Differentiating Characteristics:

Areference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6855 spec.