

View Online at <https://aerobasegroup.com/nsn/5330-01-292-2476>

**Cross Sectional Shape:**

Solid single or composition

**Hole Diameter:**

0.150 inches

**Overall Length:**

4.630 inches

**Overall Width:**

1.310 inches

**Inside Corner Radius:**

0.440 inches

**Aperture Width:**

0.880 inches

**Aperture Length:**

3.880 inches

**Center To Center Distance Between Bolt Holes Along Width:**

0.940 inches

**Center To Center Distance Between Bolt Holes Along Length:**

4.250 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

0.190 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

0.190 inches

**Cross-sectional Thickness:**

0.015 inches

**Bolt Hole Quantity:**

4

**Hardness Rating:**

70.0 shore durometer a

**Criticality Code Justification:**

Zzzy

**Outside Edge To Inside Edge Smallest Distance Along Width:**

0.380 inches

**Outside Edge To Inside Edge Smallest Distance Along Length:**

0.220 inches

**Color:**

Black

**Material:**

Rubber silicone class q

**Material Specification:**

Zz-r-765b, cl 2b, gr 70 federal specification single material response

**Special Test Features:**

Special quality control testing

**Style Designator:**

Non-circular

**Test Data Document:**

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Reference Number Differentiating Characteristics:**

As differentiated by material which must conform to ships parts control center special quality control provisions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A032a0