NSN 5330-01-292-2476

Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5330-01-292-2476

Cross Sectional Shape:
Solid single or composition
Hole Diameter:
0.150 inches
Overall Length:
4.630 inches
Overall Width:
1.310 inches
Inside Corner Radius:
0.440 inches
Aperture Width:
0.880 inches
Aperture Length:
3.880 inches
Center To Center Distance Between Bolt Holes Along Width:
0.940 inches
Center To Center Distance Between Bolt Holes Along Length:
4.250 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.190 inches
Outside Edge To Bolt Hole Center Distance Along Length:
0.190 inches
Cross-sectional Thickness:
0.015 inches
Bolt Hole Quantity:
4
Hardness Rating:
70.0 shore durometer a
Criticality Code Justification:
Zzzy
Outside Edge To Inside Edge Smallest Distance Along Width:
0.380 inches
Outside Edge To Inside Edge Smallest Distance Along Length:
0.220 inches
Color:
Black
Material:
Rubber silicone class q
Material Specification:
Zz-r-765b, cl 2b, gr 70 federal specification single material response
Special Test Features:

Special quality control testing

NSN 5330-01-292-2476

Gasket - Page 2 of 2



•		
Style	Desigr	nator:
0.,.0	Doolg.	iatoi .

Non-circular

Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Reference Number Differentiating Characteristics:

As differentiated by material which must conform to ships parts control center special quality control provisions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0