NSN 5330-01-294-5280

Nonmetallic Channel Seal - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5330-01-294-5280 |
|--|
| Cross Sectional Shape: |
| Open channel |
| Web Width: |
| 0.219 inches |
| Left Side Flange Height: |
| 0.312 inches |
| Right Side Flange Height: |
| 0.312 inches |
| Left Side Flange Thickness: |
| 0.062 inches |
| Right Side Flange Thickness: |
| 0.062 inches |
| Web Thickness: |
| 0.062 inches |
| Construction: |
| Solid |
| Left Inside Angle: |
| 90.0 degrees |
| Left Outside Angle: |
| 90.0 degrees |
| Criticality Code Justification: |
| Zzzy |
| Right Inside Angle: |
| 90.0 degrees |
| Right Outside Angle: |
| 90.0 degrees |
| Left Tip Style: |
| Left square end |
| Right Tip Relationship With Left Tip: |
| Identical |
| Err Default: |
| Err default |
| Material: |
| Rubber butadiene-acrylonitrile class nbr |
| Special Test Features: |
| Special quality control testing |
| Test Data Document: |
| 81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Reference Number Differentiating Characteristics: |
| As differentiated by material which must conform to ships parts control center special quality control provisions |
| Shelf Life: |

N/a

NSN 5330-01-294-5280

Nonmetallic Channel Seal - Page 2 of 2



| | | | ure: | |
|--|--|--|------|--|
| | | | | |
| | | | | |

--

Demilitarization:

No

Fiig:

A032a0