

View Online at <https://aerobasegroup.com/nsn/5330-01-301-5998>

Cross Sectional Shape:

Solid single or composition

Hole Diameter:

0.200 inches all holes

Overall Length:

7.880 inches

Overall Width:

Between 4.720 inches and 4.780 inches

Inside Corner Radius:

Between 0.350 inches and 0.410 inches

Outside Corner Radius:

Between 0.850 inches and 0.910 inches

Aperture Width:

Between 3.720 inches and 3.780 inches

Aperture Length:

6.880 inches

Center To Center Distance Between Bolt Holes Along Width:

1.562 inches all holes

Center To Center Distance Between Bolt Holes Along Length:

1.850 inches all holes

Outside Edge To Bolt Hole Center Distance Along Width:

0.250 inches

Outside Edge To Bolt Hole Center Distance Along Length:

0.250 inches

Cross-sectional Thickness:

0.016 inches

Bolt Hole Quantity:

12

Hardness Rating:

60.0 shore durometer a

Criticality Code Justification:

Zzzy

Special Features:

Item must comply with requirements of defense supply center columbus production standard no. Lo1359.

Material:

Rubber silicone class q

Material Specification:

Zz-r-765, cl 2 federal specification single material response

Special Test Features:

Special quality control testing

Style Designator:

Non-circular

Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Reference Number Differentiating Characteristics:

A reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0