NSN 5330-01-315-3575

Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5330-01-315-3575

Cross Sectional Shape:
Solid single or composition
Hole Diameter:
0.281 inches
Overall Length:
3.620 inches
Overall Width:
3.620 inches
Outside Corner Radius:
0.380 inches
Aperture Width:
2.840 inches
Aperture Length:
3.120 inches
Inside Corner Bevel Length Along Width:
0.530 inches
Inside Corner Bevel Length Along Length:
0.530 inches
Center To Center Distance Between Bolt Holes Along Width:
2.938 inches
Center To Center Distance Between Bolt Holes Along Length:
2.938 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.340 inches
Outside Edge To Bolt Hole Center Distance Along Length:
0.340 inches
Cross-sectional Thickness:
0.062 inches
Bolt Hole Quantity:
4
Criticality Code Justification:
Zzzy
Outside Edge To Inside Edge Smallest Distance Along Width:
0.390 inches
Outside Edge To Inside Edge Smallest Distance Along Length:
0.250 inches
Special Features:
Item must comply with requirements of defense supply center philadelphia production standard no. Po0152nrp
Material:
Rubber chloroprene class cr
Material Specification:

Mil-r-6130 type 2, grade a military specification single material response

NSN 5330-01-315-3575

Gasket - Page 2 of 2

Special Test Features:



Special quality control testing
Style Designator:
Non-circular Non-circular
Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Reference Number Differentiating Characteristics:

Areference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6130 spec.