

View Online at <https://aerobasegroup.com/nsn/5330-01-381-0911>

Cross Sectional Shape:

Solid single or composition

Hole Diameter:

Between 0.115 inches and 0.125 inches

Overall Length:

Between 5.490 inches and 5.510 inches

Overall Width:

Between 5.210 inches and 5.230 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 1.240 inches and 1.260 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 1.310 inches and 1.330 inches

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.109 inches and 0.111 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.108 inches and 0.110 inches

Cross-sectional Thickness:

Between 0.010 inches and 0.020 inches

Bolt Hole Quantity:

16

End Application:

Pacer dawn

Hardness Rating:

35.0 shore durometer a and 45.0 shore durometer a

Outside Edge To Inside Edge Smallest Distance Along Width:

Between 0.240 inches and 0.260 inches

Outside Edge To Inside Edge Smallest Distance Along Length:

Between 0.240 inches and 0.260 inches

Material:

Rubber butadiene-acrylonitrile class nbr

Material Specification:

Mil-r-6855/1 military specification single material response

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6855 spec.