## NSN 5330-01-381-5707

Spiral Wound Gasket - Page 1 of 1



/nsn/5330-01-381-5707

| View Online at https://aerobasegroup.com/   |
|---|
| Cross Sectional Shape:                      |
| Metal winding w/ soft filler and outer ring |
| Tempurature Rating:                         |
| 875.0 degrees fahrenheit                    |
| Outside Diameter:                           |
| Between 5.188 inches and 5.250 inches       |
| Aperture Diameter:                          |
| Between 4.109 inches and 4.141 inches       |
| Bearing Surface Width:                      |
| 0.484 inches                                |
| Gage Ring Outside Diameter:                 |
| 6.312 inches                                |
| Cross-sectional Thickness:                  |
| Between 0.170 inches and 0.180 inches       |
| Gage Ring Thickness:                        |
| Between 0.119 inches and 0.131 inches       |
| Maximum Pressure Rating:                    |
| 600.0 pounds per square inch                |
| Environmental Attribute Code:               |
| Asbestos alternative products               |
| Material:                                   |
| Graphite and steel                          |
| Style Designator:                           |
| Circular                                    |
| Specification Or Standard:                  |
| 400 series and 600 series and 3.500 size    |
| Shelf Life:                                 |
| N/a   |
| Unit Of Measure:                            |
|   |
| Demilitarization:                           |
| No  |
| Fiia:                                       |

A032a0

Mil-std (military Standard):

Mil-g-16265 spec.