

View Online at <https://aerobasegroup.com/nsn/5330-01-447-2183>

**Cross Sectional Shape:**

Solid single or composition

**Hole Diameter:**

Between 0.105 inches and 0.145 inches

**Overall Length:**

Between 6.460 inches and 6.540 inches

**Overall Width:**

Between 1.460 inches and 1.540 inches

**Inside Corner Radius:**

0.125 inches

**Outside Corner Radius:**

0.125 inches

**Aperture Width:**

Between 0.720 inches and 0.780 inches

**Aperture Length:**

Between 5.710 inches and 5.790 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

0.750 inches

**Cross-sectional Thickness:**

0.032 inches

**Bolt Hole Quantity:**

2

**Hardness Rating:**

45.0 shore durometer a and 55.0 shore durometer a

**Criticality Code Justification:**

Zzzy

**Outside Edge To Inside Edge Smallest Distance Along Width:**

0.375 inches

**Outside Edge To Inside Edge Smallest Distance Along Length:**

0.375 inches

**Material:**

Rubber silicone class q

**Material Specification:**

Astm d2000, fc, fe, ge assn standard single material response

**Special Test Features:**

Special quality control testing

**Style Designator:**

Non-circular

**Test Data Document:**

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Reference Number Differentiating Characteristics:**

As differentiated by material which must conform to ships parts control center special quality control provisions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A032a0