NSN 5330-01-476-1685

Packing Retainer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5330-01-476-1685

Special Cross-sectional Height: 1.540 inches Flanged Body Outside Diameter: Between 3.175 inches and 3.180 inches Inner Groove Width: 1.100 inches Center Hole Diameter: 3.450 inches Peripheral Diameter: 4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-sc-83488 spec.	Cross Sectional Shape:
Tlanged Body Outside Diameter: Between 3.175 inches and 3.180 inches Inner Groove Width: 1.100 inches Center Hole Diameter: 3.450 inches Peripheral Diameter: 4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Special
Flanged Body Outside Diameter: Between 3.175 inches and 3.180 inches Inner Groove Width: 1.100 inches Center Hole Diameter: 3.450 inches Peripheral Diameter: 4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Cross-sectional Height:
Between 3.175 inches and 3.180 inches Inner Groove Width: 1.100 inches Center Hole Diameter: 3.450 inches Peripheral Diameter: 4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	1.540 inches
Inner Groove Width: 1.100 inches Center Hole Diameter: 3.450 inches Peripheral Diameter: 4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Flanged Body Outside Diameter:
1.100 inches Center Hole Diameter: 3.450 inches Peripheral Diameter: 4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Between 3.175 inches and 3.180 inches
Center Hole Diameter: 3.450 inches Peripheral Diameter: 4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Inner Groove Width:
3.450 inches Peripheral Diameter: 4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	1.100 inches
Peripheral Diameter: 4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Center Hole Diameter:
4.312 inches End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	3.450 inches
End Application: Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Peripheral Diameter:
Sh-2g Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	4.312 inches
Angle: 0.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	End Application:
O.030 radians Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Sh-2g
Product Name: Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Angle:
Ring-support input shaft seal Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	0.030 radians
Special Features: Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Product Name:
Nha pn k671650 Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Ring-support input shaft seal
Surface Treatment: Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Special Features:
Aluminum Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Nha pn k671650
Surface Treatment Specification: Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Surface Treatment:
Mil-c-83488, class 2, type ii military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Aluminum
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Surface Treatment Specification:
N/a Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Mil-c-83488, class 2, type ii military specification single treatment response
Unit Of Measure: Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	Shelf Life:
Demilitarization: No Fiig: A032a0 Mil-std (military Standard):	N/a
No Fiig: A032a0 Mil-std (military Standard):	Unit Of Measure:
No Fiig: A032a0 Mil-std (military Standard):	
Fiig: A032a0 Mil-std (military Standard):	Demilitarization:
A032a0 Mil-std (military Standard):	No
Mil-std (military Standard):	Fiig:
	A032a0
Mil-c-83488 spec.	Mil-std (military Standard):
	Mil-c-83488 spec.