

View Online at <https://aerobasegroup.com/nsn/5330-01-657-2743>

Cross Sectional Shape:

Solid single or composition

Hole Diameter:

0.151 inches and 0.161 inches all holes

Overall Length:

Between 6.990 inches and 7.010 inches

Overall Width:

Between 4.990 inches and 5.010 inches

Aperture Width:

Between 4.190 inches and 4.210 inches

Aperture Length:

Between 6.190 inches and 6.210 inches

Outside Corner Bevel Length Along Width:

Between 0.190 inches and 0.210 inches

Outside Corner Bevel Length Along Length:

Between 0.190 inches and 0.210 inches

Center To Center Distance Between Bolt Holes Along Width:

2.490 inches and 2.510 inches all holes

Center To Center Distance Between Bolt Holes Along Length:

2.240 inches and 2.260 inches all holes

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.190 inches and 0.210 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 1.240 inches and 1.260 inches

Cross-sectional Thickness:

Between 0.057 inches and 0.067 inches

Bolt Hole Quantity:

10

End Application:

Meter

Outside Edge To Inside Edge Smallest Distance Along Width:

Between 0.390 inches and 0.410 inches

Outside Edge To Inside Edge Smallest Distance Along Length:

Between 0.390 inches and 0.410 inches

Product Name:

Gasket, front panel, aps

Material:

Rubber neoprene

Material Specification:

Mil-r-6855, class 2, type b, grade 60, adhesive backed military specification single material response

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6855 spec.