# NSN 5331-01-129-3143

O-ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5331-01-129-3143

| _            |     |    |     |    |    |     |     |    |
|--------------|-----|----|-----|----|----|-----|-----|----|
| n            | uts | id | a 1 | ni | 2r | no  | ·tα | r. |
| $\mathbf{v}$ | ulo | ıu | _   | 91 | aı | 116 | :LC | и. |

Between 1.299 inches and 1.333 inches

#### **Tempurature Rating:**

-90.0 degrees fahrenheit and 350.0 degrees fahrenheit

### **Cross-sectional Height:**

Between 0.067 inches and 0.073 inches

#### **Center Hole Diameter:**

Between 1.165 inches and 1.187 inches

#### **End Application:**

Aircraft, b-2 bomber (atb); engine, aircraft, f100-pw-100 (f-15 a/b/c/d); engine, aircraft, f-108 (cfm-56, kc-135a); engine, aircraft, tf39-ge-1 (c-5a); engine, aircraft, f101-ge-102 (b-1); spruance class dd (963); kidd class ddg; engine, aircraft, f100-pw-200 (f-16a/b/c/d); ticonderoga class cg (47)

#### **Elongation Percentage:**

125

#### Hardness Rating:

80.0 shore durometer a

#### Color:

Blue

### Material:

Rubber fluorosilicone class fq

## Shelf Life:

N/a

# Unit Of Measure:

# Demilitarization:

No

# Fiig:

A510x0

#### Mil-std (military Standard):

Mil-r-25988 spec.