NSN 5331-01-375-3083

O-ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5331-01-375-3083

| _ | | | | _ | | |
|---|------|------|-------|------|-------|----|
| Т | am | niii | ratii | ro R | ≀atin | u. |
| | CIII | vui | atu | 161 | \auii | ч. |

-15.0 degrees fahrenheit and 400.0 degrees fahrenheit

Cross-sectional Height:

Between 0.100 inches and 0.106 inches

Center Hole Diameter:

Between 1.225 inches and 1.249 inches

Hardness Rating:

Between 70.0 shore durometer a and 85.0 shore durometer a

Criticality Code Justification:

Zzzw

Material:

Rubber fluorocarbon class fpm

Material Specification:

Mil-r-83248, cl 1 military specification single material response

Special Test Features:

Special quality control testing

Test Data Document:

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Departure From Cited Document:

As modified by material which must conform to ships parts control center special quality control provisions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig: A510x0

Mil-std (military Standard):

Mil-r-83248 spec.