## NSN 5335-00-228-9207

Wire Fabric - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5335-00-228-9207

Fabrication wetnod:   Woven   Woth:   36.000 inches   Length:   100.000 feet   Edge Type:   Selvaged edge   Surface Treatment Application Stage:   After fabrication   Weave Type:   Plain square   Wire Crimp Type:   Any acceptable   Mesh Width:   0.453 inches   Mesh Udth:   0.453 inches   Heart Location:   Edge Location:   Both sides   Mesh Shape Style:   Rectangular   Material:   Steel   Surface Treatment:   Zinc   Surface Treatment:   Zin	Februardian Methods	
With:         36.000 inches         Length:         100.000 fed         Edge Type:         Selvaged dege         Surface Treatment Application Stage:         Atter fabrication         Wave Type:         Pials square         Wire Cripm Type:         Any acceptable         Mesh Vidth:         0.453 inches         Mesh Vidth:         0.453 inches         Mesh Length To Warp Direction:         Longtudinal         Filament Size:         0.4670 inches         Filament Location:         Resh Vidth:         0.4670 inches         Filament Location:         Edge Location:         Restangular         Restangular         Restangular         Material:         Steel         Material:         Steel         Starter Treatment:         Zinc         Specification Of Standard:         Stepa of class         Departure From Cited Designator:         As modified by mesh width and by mesh length and by filament size         Shelf Life:         Na	Fabrication Method:	
36.000 inches         Length:         100.000 feet         Edge Type:         Selvaged edge         Surface Treatment Application Stage:         After fabrication         Weave Type:         Plain square         Wire Crimp Type:         Any acceptable         Mesh Length To Warp Direction:         Longitudinal         Filament Size:         0.470 inches         Filament Location:         Edge Location:         Rectangular         Material:         Stell         Material:         Stell         Material:         Stell         Material:         Stell         Stellication of Standard:         <		
Length:         100.000 feet         Edge Type:         Selvaged edge         Surface Treatment Application Stage:         After fabrication         Weave Type:         Palan square         Wire Crimp Type:         Any acceptable         Mesh Midth:         0.453 inches         Mesh Length To Warp Direction:         Longtudinal         Filament Size:         0.0470 inches         Filament Location:         Edge Location:         Both sides         Material:         Steel         Material:         Steel         Surface Treatment:         Zinc         Steel         Surface Treatment:         Zinc         Steel         Surface Treatment:         Zinc         Steel         Surface Treatment:         Zinc         Specification O Standard:         Stepa 1 class         Departure From Cited Designator:         As modified by mesh width and by mesh length and by filament size         Shelf Life:         Na		
100.000 fedEdge Type:Selvaged edgeSurface Treatment Application Stage:After fabricationWeave Type:Plain squareWire Crimp Type:Any acceptableMesh Width:0.453 inchesMesh Length To Warp Direction:LongtudnalFilament Size:0.0470 inchesFilament Location:Stafe SupportRectangularMaterial:Stafe SupportRectangularMaterial:SteelSurface Treatment:ZingSurface Treatment: <th></th> <th></th>		
Edge Type:   Selvaged edge   Surface Treatment Application Stage:   After fabrication   Wave Type:   Plain square   Wir Crimp Type:   Any acceptable   Mesh Width:   0.453 inches   Mesh Length To Warp Direction:   Longitudinal   Filament Size:   0.470 inches   Filament Location:   Edge Location:   Reds angular   Mesh Engle Style:   Redstangular   Material:   Stel   Material:   Stel   Material:   Stel   Stel   Material:   Stel   Stel   Stel   Material:   Stel   Stel Stel   Stel Stel   Stel Stel   Stel Stel		
Selvaged edge Surface Treatment Application Stage: After fabrication Weave Type: Plain square Wire Crimp Type: Any acceptable Mesh With: O.453 inches Mesh Length To Warp Direction: Longitudinal Filament Size: O.470 inches Filament Location: Edge		
Surface Treatment Application Stage: After fabrication Weave Type: Plain square Wire Crimp Type: Any acceptable Mesh Width: 0.453 inches Mesh Logth To Warp Direction: Longitudinal Filament Size: 0.0470 inches Filament Location: Edge Location		
After fabrication         Weave Type:         Plain square         Wire Crimp Type:         Any acceptable         Mesh Width:         0.453 inches         Mesh Length To Warp Direction:         Longitudinal         Filament Size:         0.470 inches         Filament Location:         Edge Location:         Both sides         Mesh Shape Style:         Rectangular         Material:         Steel         Material:         Steel         Steel         Streat Treatment:         Zinc         Steel         Steel         Steel         Steel         Steel         Steel         Steel         Steel         Sterde Treatment:         Zinc         Steple and 1 class         Departure From Cited Designator:         As modified by mesh width and by mesh length and by filament size         Sheff Life:         Na		
Wave Type:         Plain square         Wire Crimp Type:         Any acceptable         Mesh Width:         0.453 inches         Mesh Length To Warp Direction:         Longitudinal         Filament Size:         0.0470 inches         Filament Location:         Edge Location:         Both sides         Material:         Steel         Material:         Steel         Surface Treatment:         Zinc         Stefed Location:         Steel         Surface Treatment:         Zinc         Surface Treatment:         Zinc         Stepart Location:         Stepart Location:         Zinc         Surface Treatment:         Zinc         Surface Treatment: <td< th=""><th></th><th></th></td<>		
Plain square         Wire Crimp Type:         Any acceptable         Mesh Width:         0.453 inches         Mesh Length To Warp Direction:         Longitudinal         Filament Size:         0.0470 inches         Filament Location:         Edge Location:         Both sides         Metrial:         Rectangular         Material:         Steel         Surface Treatment:         Zinc         Surface Treatment:         Zinc         Stepl conton:         Stepl conton:         Stepl conton:         Zinc         Surface Treatment:         Zinc         Stepl conton:         Stepl conton:         Zinc         Surface Treatment:         Zinc         Surface		
Wire Crimp Type:Any acceptableMesh Width:0.453 inchesMesh Length To Warp Direction:LongitudinalFilament Size:0.0470 inchesFilament Location:Both sidesMesh Shape Style:RectangularMaterial:SteelMaterial:SteelSurface Treatment:ZincSurface Treatment:ZincStepel GuardingSteel </th <th></th> <th></th>		
Any acceptable Mesh Width: 0.453 inches Mesh Length To Warp Direction: Longitudinal Filament Size: 0.0470 inches Filament Location: Filament Location: Edge Location: Both sides Mesh Shape Style: Rectangular Material: Steel Material: Steel Surface Treatment: Zinc Surface		
Mesh With: 0.453 inches Mesh Length To Warp Direction: Longitudinal Filament Size: 0.0470 inches Filament Location: Edge Location: Edg		
0.453 inches Mesh Length To Warp Direction: Longitudinal Filament Size: 0.0470 inches Filament Location: Filament Location: Edge Location: Both sides Mesh Shape Style: Rectangular Material: Steel Material: Steel Surface Treatment: Zinc Surface Tr		
Mesh Length To Warp Direction:         Longitudinal         Filament Size:         0.0470 inches         Filament Location:         Edge Location:         Both sides         Mesh Shape Style:         Rectangular         Material:         Steel         Steel         Surface Treatment:         Zinc         Surface Treatment:         Zinc         Stepl and 1 class         Departure From Cited Designator:         As modified by mesh width and by mesh length and by filament size         Sheft Life:         Na		
Longitudinal Filament Size: 0.0470 inches Filament Location: Filament Location: Edge Location: E		
Filament Size:   0.0470 inches   Filament Location:   Edge Location:   Both sides   Both sides   Mesh Shape Style:   Rectangular   Material:   Steel   Material:   Steel   Surface Treatment:   Zinc   Surface Treatment:   Zinc   Specification Or Standard:   3 type and 1 class   Departure From Cited Designator:   As modified by mesh width and by mesh length and by filament size   Shelf Life:   Na		
0.0470 inches Filament Location: Edge Location: Both sides Both sides Mesh Shape Style: Rectangular Rectangular Material: Steel Steel Steel Surface Treatment: Zinc Surface Treatment: Zinc Surface Treatment: Zinc Surface Treatment: As modified by mesh width and by mesh length and by filament size Shelf Life: N/a		
Filament Location:   Edge Location:   Both sides   Both sides   Mesh Shape Style:   Rectangular   Material:   Steel   Material:   Steel   Surface Treatment:   Zinc   Surface Treatment:   Zinc   Specification Or Standard:   3 type and 1 class   Departure From Cited Designator:   As modified by mesh width and by mesh length and by filament size   Shelf Life:   N/a		
Edge Location:   Both sides   Mesh Shape Style:   Rectangular   Material:   Steel   Material:   Steel   Surface Treatment:   Zinc   Surface Treatment:   Zinc   Surface Treatment:   Zinc   Surface Treatment:   Aine:   Stepe and 1 class   Departure From Cited Designator:   As modified by mesh width and by mesh length and by filament size   Sheff Life:   N/a		
Both sides Both sides Mesh Shape Style: Rectangular Rectangular Material: Steel Material: Steel Steel Steel Surface Treatment: Zinc Surface Treatment: Zinc Specification Or Standard: 3 type and 1 class Departure From Cited Designator: As modified by mesh width and by mesh length and by filament size Shelf Life: N/a		
Both sides Both sides Mesh Shape Style: Rectangular Rectangular Material: Steel Material: Steel Steel Steel Surface Treatment: Zinc Surface Treatment: Zinc Specification Or Standard: 3 type and 1 class Departure From Cited Designator: As modified by mesh width and by mesh length and by filament size Shelf Life: N/a	Edge Location:	
Mesh Shape Style:RectangularMaterial:SteelMaterial:SteelSurface Treatment:ZincSurface Treatment:ZincSurface Treatment:ZincSpecification Or Standard:3 type and 1 classDeparture From Cited Designator:As modified by mesh width and by mesh length and by filament sizeShelf Life:N/a	-	
RectangularMaterial:SteelMaterial:SteelSurface Treatment:ZincSurface Treatment:ZincSurface Treatment:ZincSurface Treatment:AincSurface Treatment:AincSurface Treatment:Surface Treatment:Surface Treatment:Surface Treatment:Surface Treatment:Surface Treatment:JincSurface Treatment:JincSurface Treatment:Surface Treatment:Surface Treatment:Surface Treatment:JincSurface Treatment:JincJincJincJincSurface Treatment:Surface Treatment:Jinc <th></th> <th></th>		
Material:         Steel         Material:         Steel         Surface Treatment:         Zinc         Surface Treatment:         As modified by mesh width and by mesh length and by filament size         Shelf Life:         N/a		
Material:SteelSurface Treatment:ZincSurface Treatment:ZincSpecification Or Standard:3 type and 1 classDeparture From Cited Designator:As modified by mesh width and by mesh length and by filament sizeShelf Life:N/a	-	
Steel Surface Treatment: Zinc Surface Treatment: Zinc Zinc Specification Or Standard: 3 type and 1 class Departure From Cited Designator: As modified by mesh width and by mesh length and by filament size Shelf Life: N/a	Steel	
Steel Surface Treatment: Zinc Surface Treatment: Zinc Zinc Specification Or Standard: 3 type and 1 class Departure From Cited Designator: As modified by mesh width and by mesh length and by filament size Shelf Life: N/a	Material:	
Zinc Surface Treatment: Zinc Specification Or Standard: 3 type and 1 class Departure From Cited Designator: As modified by mesh width and by mesh length and by filament size Shelf Life: N/a	Steel	
Surface Treatment:   Zinc   Specification Or Standard:   3 type and 1 class   Departure From Cited Designator:   As modified by mesh width and by mesh length and by filament size   Shelf Life:   N/a	Surface Treatment:	
Zinc Specification Or Standard: 3 type and 1 class Departure From Cited Designator: As modified by mesh width and by mesh length and by filament size Shelf Life: N/a	Zinc	
Specification Or Standard:         3 type and 1 class         Departure From Cited Designator:         As modified by mesh width and by mesh length and by filament size         Shelf Life:         N/a	Surface Treatment:	
3 type and 1 class <b>Departure From Cited Designator:</b> As modified by mesh width and by mesh length and by filament size <b>Shelf Life:</b> N/a	Zinc	
Departure From Cited Designator: As modified by mesh width and by mesh length and by filament size Shelf Life: N/a	Specification Or Standard:	
As modified by mesh width and by mesh length and by filament size <b>Shelf Life:</b> N/a	3 type and 1 class	
Shelf Life: N/a	Departure From Cited Designator:	
N/a	As modified by mesh width and by mesh length and by filament size	
	Shelf Life:	
Unit Of Measure:	N/a	
	Unit Of Measure:	

---

## NSN 5335-00-228-9207

Wire Fabric - Page 2 of 2

Demilitarization:

No

Fiig:

A08800

