

View Online at <https://aerobasegroup.com/nsn/5340-00-003-8368>

**Mounting Hole Type:**

Countersunk

**First Leg Length:**

0.765 inches

**Second Leg Length:**

0.875 inches

**Second Leg Width:**

Between 0.600 inches and 0.660 inches

**First Leg Hole Diameter:**

Between 0.124 inches and 0.129 inches

**Second Leg Hole Diameter:**

0.125 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.125 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.125 inches

**First Leg Thickness:**

0.265 inches

**Second Leg Thickness:**

Between 0.250 inches and 0.270 inches

**First Leg Width:**

Between 0.055 inches and 0.085 inches

**First Leg Distance Between Hole Centers Along Length:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.125 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.150 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Extended flat

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

135.0 degrees

**Special Features:**

All holes are drilled through first and second leg thickness

**Heat Treatment:**

T-4 solution heat treated

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-200/3 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-a-8625 spec.