

View Online at <https://aerobasegroup.com/nsn/5340-00-009-7625>

Mounting Hole Type:

Countersunk

First Leg Length:

0.750 inches

Second Leg Length:

1.000 inches

Second Leg Width:

0.125 inches

First Leg Hole Diameter:

Between 0.150 inches and 0.160 inches

Second Leg Hole Diameter:

Between 0.280 inches and 0.290 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.609 inches and 0.615 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.575 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.320 inches and 0.330 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

1.400 inches

First Leg Distance Between Hole Centers Along Width:

Between 0.609 inches and 0.615 inches

First Leg Distance From Edge To Hole Center Along Width:

0.575 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.320 inches and 0.330 inches

Second Leg Side Radius:

Between 0.047 inches and 0.078 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Side radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2014

Material Specification:

Qq-a-200/2, t6 federal specification single material response

Surface Treatment:

Chromate zinc

Surface Treatment Specification:

Tt-p-1757 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0