

View Online at <https://aerobasegroup.com/nsn/5340-00-011-9173>

**First Leg Length:**

Between 1.530 inches and 1.590 inches

**Second Leg Length:**

Between 1.530 inches and 1.590 inches

**Second Leg Width:**

Between 0.590 inches and 0.650 inches

**Second Leg End Width:**

Between 0.170 inches and 0.350 inches

**First Leg Hole Diameter:**

Between 0.088 inches and 0.108 inches

**Second Leg Hole Diameter:**

Between 0.088 inches and 0.108 inches

**Second Leg Distance Between Hole Centers Along Length:**

Between 0.590 inches and 0.650 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.280 inches and 0.340 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.280 inches and 0.340 inches

**First Leg Thickness:**

Between 0.053 inches and 0.073 inches

**Second Leg Thickness:**

Between 0.053 inches and 0.073 inches

**First Leg Width:**

Between 0.590 inches and 0.650 inches

**First Leg End Width:**

Between 0.170 inches and 0.350 inches

**First Leg Distance Between Hole Centers Along Length:**

Between 0.590 inches and 0.650 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.280 inches and 0.340 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.280 inches and 0.340 inches

**First Leg Style:**

Square and tapered

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square and tapered

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-250/5 federal specification single material response

**Surface Treatment:**

Anodize

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0