

View Online at <https://aerobasegroup.com/nsn/5340-00-013-3467>

Fabrication Method (non-core):

Any acceptable

Mounting Hole Type:

Plain

First Leg Length:

Between 0.800 inches and 0.840 inches

Second Leg Length:

Between 2.320 inches and 2.380 inches

Second Leg Width:

2.954 inches

First Leg Hole Diameter:

0.218 inches

Second Leg Hole Diameter:

0.281 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.352 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

1.352 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.250 inches

First Leg Thickness:

Between 0.082 inches and 0.098 inches

Second Leg Thickness:

Between 0.082 inches and 0.098 inches

First Leg Width:

Between 0.680 inches and 0.720 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.210 inches and 0.230 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.110 inches and 0.140 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Welded assembly

Material:

Steel comp 321

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0