## NSN 5340-00-023-9499

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-023-9499

Mounting Hole Type:
Plain
First Leg Length:
0.980 inches
Second Leg Length:
1.000 inches
Second Leg Width:
3.900 inches
First Leg Hole Diameter:
Between 0.265 inches and 0.270 inches
Second Leg Hole Diameter:
Between 0.203 inches and 0.207 inches
Second Leg Distance From Edge To Hole Center Along Length:
1.000 inches
First Leg Thickness:
0.063 inches
Second Leg Thickness:
0.063 inches
Center Section Height:
0.870 inches
Center Section Width:
3.900 inches
Center Section Thickness:
0.063 inches
First Leg Width:
3.900 inches
First Leg Corner Radius:
0.250 inches
First Leg Distance Between First And Second Hole Centers Along Width:
1.500 inches
First Leg Distance Between Second And Third Hole Centers Along Width:
1.500 inches
First Leg Distance From Edge To Hole Center Along Width:
0.440 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
Three holes
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical

## **NSN 5340-00-023-9499**Double Angle Bracket - Page 2 of 2



First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Special Features:
Second leg end concave
Material:
Aluminum alloy
Material Specification:
Qq-a-362 federal specification single material response
Surface Treatment:
Oxide film
Surface Treatment Specification:
-11-c-5541 military specification single treatment response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
<del>.</del>
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
spec.