

View Online at <https://aerobasegroup.com/nsn/5340-00-031-6425>

**Material Thickness:**

Between 0.087 inches and 0.099 inches

**First Leg Length:**

1.666 inches

**Second Leg Length:**

1.702 inches

**End Application:**

Bracket-inlet pressure to fuel control tube

**First Leg Hole Diameter:**

Between 0.339 inches and 0.349 inches

**Second Leg Hole Diameter:**

Between 0.448 inches and 0.458 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Distance Between Hole Centers Along Width:**

1.106 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.280 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.240 inches

**First Leg End Radius:**

0.280 inches

**Second Leg End Radius:**

0.500 inches

**First Leg Style:**

End radius and tapered

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius and tapered

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**Material:**

Steel comp 8630

**Material Specification:**

Ams 6355 assn standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Ams 2400 assn standard single treatment response

**Style Designator:**

Triangle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0