

View Online at <https://aerobasegroup.com/nsn/5340-00-045-8356>

Fabrication Method (non-core):

Machined

Mounting Hole Type:

Plain

Second Leg Width:

1.624 inches

Second Leg Corner Radius:

0.312 inches

First Leg Hole Diameter:

Between 0.307 inches and 0.317 inches

Second Leg Hole Diameter:

Between 0.214 inches and 0.224 inches

Second Leg Distance Between Hole Centers Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.312 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.312 inches

First Leg Thickness:

Between 0.056 inches and 0.068 inches

Second Leg Thickness:

Between 0.056 inches and 0.068 inches

Center Section Height:

1.213 inches

Center Section Width:

1.624 inches

Center Section Thickness:

Between 0.056 inches and 0.068 inches

First Leg Width:

1.624 inches

First Leg Corner Radius:

0.312 inches

First Leg Distance Between Hole Centers Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.312 inches

First Leg Distance From Edge To Hole Center Along Length:

0.312 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

61.0 degrees

Second Leg Angle:

45.0 degrees

Material:

Steel comp 410

Material Specification:

Ams 5504 assn standard single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0