NSN 5340-00-056-2952

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-056-2952

| · |
|--|
| Second Leg Length: |
| 0.750 inches |
| Second Leg Width: |
| 1.584 inches |
| Second Leg Corner Radius: |
| 0.312 inches |
| First Leg Hole Diameter: |
| Between 0.214 inches and 0.224 inches |
| Second Leg Hole Diameter: |
| Between 0.339 inches and 0.349 inches |
| Second Leg Distance Between Hole Centers Along Width: |
| 0.960 inches |
| Second Leg Distance From Edge To Hole Center Along Width: |
| 0.312 inches |
| Second Leg Distance From Edge To Hole Center Along Length: |
| 0.250 inches |
| First Leg Thickness: |
| Between 0.028 inches and 0.034 inches |
| Second Leg Thickness: |
| Between 0.028 inches and 0.034 inches |
| First Leg Distance From Edge To Hole Center Along Length: |
| 0.375 inches |
| First Leg End Radius: |
| 0.375 inches |
| First Leg Style: |
| Corner radius |
| First Leg Hole Arrangement Style: |
| One hole |
| Second Leg Style: |
| Corner radius |
| Second Leg Hole Arrangement Style: |
| Two holes |
| Second Leg Relationship To First Leg: |
| Not identical |
| First Leg Angle: |
| 137.0 degrees |
| Material: |
| Steel comp 309 |
| Material Specification: |
| Qq-s-763 federal specification single material response |
| Surface Treatment: |
| |

Cadmium

NSN 5340-00-056-2952

Angle Bracket - Page 2 of 2



| Surface | Treatment | Specification: |
|---------|------------------|----------------|
|---------|------------------|----------------|

Ams 2400 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0