

View Online at <https://aerobasegroup.com/nsn/5340-00-056-5140>

Fabrication Method (non-core):

Machined

First Leg Length:

3.000 inches

Second Leg Length:

3.500 inches

Second Leg Width:

3.500 inches

First Leg Slot Length:

0.625 inches

First Leg Slot Width:

0.406 inches

Second Leg Distance Between Hole Centers Along Width:

1.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.813 inches

Second Leg Slot Length:

0.875 inches

Second Leg Slot Width:

0.406 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

3.500 inches

First Leg Distance Between Hole Centers Along Width:

1.500 inches

First Leg Distance From Edge To Hole Center Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.562 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2, cl2 federal specification all treatment responses

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0