

View Online at <https://aerobasegroup.com/nsn/5340-00-056-5140>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

3.000 inches

**Second Leg Length:**

3.500 inches

**Second Leg Width:**

3.500 inches

**First Leg Slot Length:**

0.625 inches

**First Leg Slot Width:**

0.406 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.813 inches

**Second Leg Slot Length:**

0.875 inches

**Second Leg Slot Width:**

0.406 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

3.500 inches

**First Leg Distance Between Hole Centers Along Width:**

1.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.562 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

2 slots

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

2 slots

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel

**Surface Treatment:**

Cadmium and chromate

**Surface Treatment Specification:**

Qq-p-416, type 2, cl2 federal specification all treatment responses

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0