

View Online at <https://aerobasegroup.com/nsn/5340-00-060-3848>

First Leg Length:

Between 1.234 inches and 1.316 inches

Second Leg Length:

Between 0.680 inches and 0.720 inches

Second Leg Width:

Between 0.740 inches and 0.760 inches

First Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Hole Diameter:

Between 0.188 inches and 0.198 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.365 inches and 0.385 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.270 inches and 0.290 inches

First Leg Thickness:

Between 0.056 inches and 0.068 inches

Second Leg Thickness:

Between 0.056 inches and 0.068 inches

First Leg Width:

Between 0.740 inches and 0.760 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.344 inches and 0.406 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.344 inches and 0.406 inches

First Leg End Radius:

Between 0.344 inches and 0.406 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 4130 or steel comp 8630

Material Specification:

Ams 6350 assn standard 1st material response or ams 6355 assn standard 2nd material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Ams 2400 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0