

View Online at <https://aerobasegroup.com/nsn/5340-00-073-5232>

Mounting Hole Type:

Threaded

First Leg Length:

2.310 inches

Second Leg Length:

2.880 inches

Reinforcement Method (non-core):

Gusset one side

Second Leg Width:

2.000 inches

Second Leg End Width:

0.500 inches

First Leg Hole Diameter:

Between 0.310 inches and 0.330 inches

Second Leg Hole Diameter:

0.190 inches

Second Leg Distance Between Hole Centers Along Width:

1.000 inches

Second Leg Distance Between Hole Centers Along Length:

1.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.380 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.610 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

2.000 inches

First Leg Distance Between Hole Centers Along Width:

0.875 inches

First Leg Distance Between Hole Centers Along Length:

0.875 inches

First Leg Distance From Edge To Hole Center Along Width:

0.380 inches

First Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

107.0 degrees

Special Features:

1.000 in. Brace welded between angle along one side

Material:

Steel comp 1015 or steel comp 1025

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0